



Applicants

Orest W. Blaschuk et al.

Application No.

09/778,026

Filed

February 5, 2001

For

COMPOUNDS AND METHODS FOR REGULATING CELL

ADHESION

Art Unit No.

2811

Docket No.

100086.402C1

Date

July 30, 2002

Box Missing Parts Commissioner for Patents U.S. Patent and Trademark Office P.O. Box 2327 Arlington, VA 22202

PRELIMINARY AMENDMENT

Commissioner for Patents:

Please amend the above-identified application as follows:

In the Specification:

Please add, beginning at page 1 line 3 before the TECHNICAL FIELD section the following new paragraph:

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation of U.S. Patent Application No. 08/939,853, filed September 29, 1997, now issued as U.S. Pat. No. 6,203,788, which application is incorporated herein by reference in its entirety.

In the Claims:

Please cancel claims 1-19, 21, 35, 51, 62, 69-188, and 190-192.

Please amend claims 20, 22, 25, 27-29, 33-34, 36-38, 41-43, 46, 50, 52, 54-55, 57, 60, 63, and 65-66 to read as follows:

- 20. (Amended) A method for enhancing the delivery of a drug through the skin of a mammal, comprising contacting epithelial cells of a mammal with a cell adhesion modulating agent and a drug, wherein said modulating agent comprises
 - (a) the sequence His-Ala-Val, or
- (b) an antibody or fragment thereof that specifically binds to a cadherin cell adhesion recognition sequence,

wherein said modulating agent inhibits cadherin-mediated cell adhesion, and wherein the step of contacting is performed under conditions and for a time sufficient to allow passage of said drug across said epithelial cells.

- 22. (Amended) A method according to claim 20, wherein said modulating agent passes into the blood stream of said mammal.
- 25. (Amended) A method according to claim 20, wherein said modulating agent further comprises at least one cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin, and wherein said cell adhesion recognition sequence is separated from any His-Ala-Val sequence(s) by a linker.
- 27. (Amended) A method according to claim 20, wherein said modulating agent is linked to a targeting agent.
- 28. (Amended) A method according to claim 20, wherein said modulating agent is linked to said drug.
- 29. (Amended) A method according to claim 20, wherein said modulating agent is present within a pharmaceutical composition comprising a pharmaceutically acceptable carrier.

- 33. (Amended) A method according to claim 20, wherein the step of contacting is performed via a skin patch comprising said modulating agent and said drug.
- 34. (Amended) A method for enhancing the delivery of a drug to a tumor in a mammal, comprising administering to a mammal a cell adhesion modulating agent and a drug, wherein said modulating agent comprises
 - (a) 3-16 amino acid residues, including the sequence His-Ala-Val, or
- (b) an antibody or fragment thereof that specifically binds to a cadherin cell adhesion recognition sequence,

- 36. (Amended) A method according to claim 34, wherein the tumor is selected from the group consisting of bladder tumors, ovarian tumors and melanomas.
- 37. (Amended) A method according to claim 34, wherein said composition is administered to said tumor.
- 38. (Amended) A method according to claim 34, wherein said composition is administered systemically.
- 41. (Amended) A method according to claim 34, wherein said modulating agent is linked to a targeting agent.
- 42. (Amended) A method according to claim 34, wherein said modulating agent linked to said drug.
- 43. (Amended) A method according to claim 34, wherein said modulating agent further comprises one or more of:

- (a) a cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin, wherein said cell adhesion recognition sequence is separated from any His-Ala-Val sequence(s) by a linker; and/or
- (b) an antibody or antigen-binding fragment thereof that binds to a cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin.
- 46. (Amended) A method according to claim 33, wherein said modulating agent and said drug are present within a pharmaceutical composition comprising a pharmaceutically acceptable carrier.
- 50. (Amended) A method for treating cancer in a mammal, comprising administering to a mammal a cell adhesion modulating agent, wherein said modulating agent comprises
 - (a) 3-16 amino acid residues, including the sequence His-Ala-Val, or
- (b) an antibody or fragment thereof that specifically binds to a cadherin cell adhesion recognition sequence,

- 52. (Amended) A method according to claim 50, wherein said cancer is selected from the group consisting of carcinomas, leukemia and melanomas.
- 54. (Amended) A method according to claim 50, wherein said modulating agent is linked to a targeting agent.
- 55. (Amended) A method according to claim 50, wherein said modulating agent further comprises at least one cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin, and wherein said cell adhesion recognition sequence is separated from any His-Ala-Val sequence(s) by a linker.

- 57. (Amended) A method according to claim 50, wherein said modulating agent is present within a pharmaceutical composition comprising a pharmaceutically acceptable carrier.
- 60. (Amended) A method for inhibiting angiogenesis in a mammal, comprising administering to a mammal a cell adhesion modulating agent, wherein said modulating agent comprises
 - (a) the sequence His-Ala-Val,
- (b) an antibody or fragment thereof that specifically binds to a cadherin cell adhesion recognition sequence,

- 63. (Amended) A method according to claim 60, wherein said modulating agent further comprises at least one cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin, and wherein said cell adhesion recognition sequence is separated from any His-Ala-Val sequence(s) by a linker.
- 65. (Amended) A method according to claim 60, wherein said modulating agent is linked to a target agent.
- 66. (Amended) A method according to claim 60, wherein said modulating agent is present within a pharmaceutical composition comprising a pharmaceutically acceptable carrier.

REMARKS

Claims 1-191 were previously pending. With this amendment, claims 1-19, 21, 35, 51, 62, 69-188, and 190-192 are canceled. Accordingly, claims 20, 22-34, 36-50, 52-61, 63-68 and 189 are currently pending. Claims 20, 22, 25, 27-29, 33-34, 36-38, 41-43, 46, 50, 52, 54-

55, 57, 60, 63, and 65-66 have been amended to eliminate multiple dependency. No new matter has been added.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page is captioned "Version With Markings to Show Changes Made." Also enclosed is a copy of Limited Recognition Under 37 CFR § 10.9(b).

Consideration of the application is now respectfully requested.

Respectfully submitted,

Orest Blaschuk et al.

SEED Intellectual Property Law Group PLLC

(See Limited Recognition)

QXL:jab

Enclosures:

Version With Markings to Show Changes Made Copy of Limited Recognition Under 37 CFR § 10.9(b).

701 Fifth Avenue, Suite 6300 Seattle, Washington 98104-7092

Phone: (206) 622-4900 Fax: (206) 682-6031

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the Specification:

The following new paragraph has been added to page 1, line 6 before the TECHNICAL FIELD section the following new paragraph:

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation of U.S. Patent Application No. 08/939,853, filed September 29, 1997, now issued as U.S. Pat. No. 6,203,788, which application is incorporated herein by reference in its entirety.

In the Claims:

Claims 1-19, 21, 35, 51, 62, 69-188, and 190-192 have been canceled.

Claims 20, 22, 25, 27-29, 33-34, 36-38, 41-43, 46, 50, 52, 54-55, 57, 60, 63, and 65-66 have been amended as follows:

- 20. (Amended) A method for enhancing the delivery of a drug through the skin of a mammal, comprising contacting epithelial cells of a mammal with a cell adhesion modulating agent and a drug, wherein said modulating agent comprises
 - (a) the sequence His-Ala-Val, or
- (b) an antibody or fragment thereof that specifically binds to a cadherin cell adhesion recognition sequence,

wherein said modulating agent inhibits cadherin-mediated cell adhesion, and wherein the step of contacting is performed under conditions and for a time sufficient to allow passage of said drug across said epithelial cells.

22. (Amended) A method according to claim 20-or claim 21, wherein said modulating agent passes into the blood stream of said mammal.

- 25. (Amended) A method according to claim 20-or claim 21, wherein said modulating agent further comprises at least one cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin, and wherein said cell adhesion recognition sequence is separated from any His-Ala-Val sequence(s) by a linker.
- 27. (Amended) A method according to claim 20 or claim 21, wherein said modulating agent is linked to a targeting agent.
- 28. (Amended) A method according to claim 20-or elaim 21, wherein said modulating agent is linked to said drug.
- 29. (Amended) A method according to claim 20-or-elaim 21, wherein said modulating agent is present within a pharmaceutical composition comprising a pharmaceutically acceptable carrier.
- 33. (Amended) A method according to claim 20 or claim 21, wherein the step of contacting is performed via a skin patch comprising said modulating agent and said drug.
- 34. (Amended) A method for enhancing the delivery of a drug to a tumor in a mammal, comprising administering to a mammal a cell adhesion modulating agent and a drug, wherein said modulating agent comprises
 - (a) 3-16 amino acid residues, including the sequence His-Ala-Val, or
- (b) an antibody or fragment thereof that specifically binds to a cadherin cell adhesion recognition sequence,

36. (Amended) A method according to claim 34-or claim 35, wherein the tumor is selected from the group consisting of bladder tumors, ovarian tumors and melanomas.

- 37. (Amended) A method according to claim 34-or claim 35, wherein said composition is administered to said tumor.
- 38. (Amended) A method according to claim 34-or claim 35, wherein said composition is administered systemically.
- 41. (Amended) A method according to claim 34 or claim 35, wherein said modulating agent is linked to a targeting agent.
- 42. (Amended) A method according to claim 34-or claim 35, wherein said modulating agent linked to said drug.
- 43. (Amended) A method according to claim 34-or claim 35, wherein said modulating agent further comprises one or more of:
- (a) a cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin, wherein said cell adhesion recognition sequence is separated from any His-Ala-Val sequence(s) by a linker; and/or
- (b) an antibody or antigen-binding fragment thereof that binds to a cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin.
- 46. (Amended) A method according to claim 33-or claim 34, wherein said modulating agent and said drug are present within a pharmaceutical composition comprising a pharmaceutically acceptable carrier.
- 50. (Amended) A method for treating cancer in a mammal, comprising administering to a mammal a cell adhesion modulating agent, wherein said modulating agent comprises
 - (a) 3-16 amino acid residues, including the sequence His-Ala-Val, or
- (b) an antibody or fragment thereof that specifically binds to a cadherin cell adhesion recognition sequence,

- 52. (Amended) A method according to claim 50-or claim 51, wherein said cancer is selected from the group consisting of carcinomas, leukemia and melanomas.
- 54. (Amended) A method according to claim 50-or-claim 51, wherein said modulating agent is linked to a targeting agent.
- 55. (Amended) A method according to claim 50 or claim 51, wherein said modulating agent further comprises at least one cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin, and wherein said cell adhesion recognition sequence is separated from any His-Ala-Val sequence(s) by a linker.
- 57. (Amended) A method according to claim 50-or claim 51, wherein said modulating agent is present within a pharmaceutical composition comprising a pharmaceutically acceptable carrier.
- 60. (Amended) A method for inhibiting angiogenesis in a mammal, comprising administering to a mammal a cell adhesion modulating agent, wherein said modulating agent comprises
 - (a) the sequence His-Ala-Val,
- (b) an antibody or fragment thereof that specifically binds to a cadherin cell adhesion recognition sequence,

and wherein said modulating agent inhibits cadherin-mediated cell adhesion.

63. (Amended) A method according to claim 60 or claim 62, wherein said modulating agent further comprises at least one cell adhesion recognition sequence bound by an adhesion molecule other than a classical cadherin, and wherein said cell adhesion recognition sequence is separated from any His-Ala-Val sequence(s) by a linker.

- 65. (Amended) A method according to claim 60 or claim 62, wherein said modulating agent is linked to a target agent.
- 66. (Amended) A method according to claim 60-or claim-62, wherein said modulating agent is present within a pharmaceutical composition comprising a pharmaceutically acceptable carrier.

D:\NrPortbl\iManage\JUDIB\303978_1 DOC



EXPRESS MAIL NO. EL897865300US

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

: Orest W. Blaschuk et al.

Application No.

09/778,026

Filed

February 5, 2001

For

COMPOUNDS AND METHODS FOR REGULATING CELL

ADHESION

Art Unit No.

2811

Docket No.

100086.402C1

Date

July 30, 2002

Box Missing Parts Commissioner for Patents U.S. Patent and Trademark Office P.O. Box 2327 Arlington, VA 22202

FILING FORMAL DRAWINGS

Commissioner for Patents:

Enclosed are 16 sheets of formal drawings, Figures 1-12D, for filing in the above-identified application.

Respectfully submitted,

Seed Intellectual Property Law Group PLLC

Oing Lin, Ph.D.

(See Copy of Limited Recognition)

QXL:jab

Enclosures:

Postcard

Formal Drawings (16 sheets, Figs. 1-12D)

701 Fifth Avenue, Suite 6300 Seattle, Washington 98104-7092

Phone: (206) 622-4900 Fax: (206) 682-6031

D:\NrPortbl\\Manage\JUDIB\304594_1 DOC